


Amendments to the Claims

This listing of claims will replace all prior versions and listings of claims in the application.

1. - 13. (Canceled)

14. (Previously Presented) A pharmaceutically acceptable base addition salt of a boronic acid of formula (II):



where:

X is H or an amino-protecting group;

aa¹ is an amino acid residue having a hydrocarbyl side chain containing no more than 20 carbon atoms and comprising at least one cyclic group having up to 13 carbon atoms;

aa² is an imino acid residue having from 4 to 6 ring members;


R¹ is a group of the formula -(CH₂)_s-Z, where s is 2, 3 or 4 and Z is -OH, -OMe, -OEt or halogen,

wherein said salt is in solid form.

15. (Previously Presented) The salt of claim 14 wherein aa¹ is selected from Phe, Dpa and wholly or partially hydrogenated analogues thereof.

16. (Original) The salt of claim 15 wherein aa¹ is of R-configuration.

17. (Original) The salt of claim 14 wherein aa² is a residue of an imino acid of formula (IV)



where R¹¹ is -CH₂-, -CH₂-CH₂-, -S-CH₂-, -S-C(CH₃)₂- or -CH₂-CH₂-CH₂-, and, when the formula (IV) ring is 5- or 6-membered, the formula (IV) ring is unsubstituted or is substituted at one or more -CH₂- groups by from 1 to 3 C₁-C₃ alkyl groups.

18. (Original) The salt of claim 17 wherein aa² is of S-configuration.


19. (Original) The salt of claim 14, wherein aa¹-aa² is (R)-Phe-(S)-Pro and the fragment -NH-CH(R₁)-B(OH)₂ is of R-configuration.

20. (Previously Presented) The salt of claim 15 wherein the boronic acid is of formula (VIII):




wherein X is $\text{R}^6\text{-(CH}_2\text{)}_p\text{-C(O)-}$, $\text{R}^6\text{-(CH}_2\text{)}_p\text{-S(O)}_2\text{-}$, $\text{R}^6\text{-(CH}_2\text{)}_p\text{-NH-C(O)-}$ or $\text{R}^6\text{-(CH}_2\text{)}_p\text{-O-C(O)-}$, wherein p is 0, 1, 2, 3, 4, 5 or 6 and R^6 is H or a 5 to 13-membered cyclic group which is unsubstituted or substituted by 1, 2 or 3 substituents selected from halogen; amino; nitro; hydroxy; a $\text{C}_5\text{-C}_6$ cyclic group; $\text{C}_1\text{-C}_4$ alkyl or $\text{C}_1\text{-C}_4$ alkyl containing, or linked to the cyclic group through, an in-chain O atom, the aforesaid alkyl groups optionally being substituted by a substituent selected from halogen, amino, nitro, hydroxy or a $\text{C}_5\text{-C}_6$ cyclic group; and boroMpg-OH is a residue of an aminoboronic acid of the formula $\text{H}_2\text{N-CH}((\text{CH}_2)_3\text{OMe})\text{B(OH)}_2$.

21. (Original) The salt of claim 15 wherein the salt comprises a salt of the boronic acid with an alkali metal, an aminosugar or an amine of formula (XI):



where n is from 1 to 6, R^2 is H, carboxylate or derivatised carboxylate, R^3 is H, $\text{C}_1\text{-C}_4$ alkyl or a residue of a natural or unnatural amino acid.

22. (Previously Presented) A pharmaceutical product comprising a therapeutically effective amount of a boronate salt which consists essentially of a single base addition salt of a boronic acid formula (XX):



where:

X is H or an amino-protecting group;

aa¹ is an amino acid residue of R-configuration having a hydrocarbyl side chain containing no more than 20 carbon atoms and comprising at least one cyclic group having up to 13 carbon atoms;

aa² is an imino acid residue of S-configuration having from 4 to 6 ring members;

C* is a chiral centre of R-configuration; and

R¹ is a group of the formula -(CH₂)_s-Z, where s is 2, 3 or 4 and Z is -OH, -OMe, -OEt or halogen.

23. - 36. (Canceled)

37. (Currently Amended) The salt of claim 14 [[35]], wherein the salt is a calcium salt of a boronic acid [[is]] of the formula Cbz-(R)-Phe-(S)-Pro-(R)-Mpg-B(OH)₂.

38. (Previously Presented) The salt of claim 37 wherein the salt comprises a salt of the formula $(\text{Cbz}-(\text{R})\text{-Phe}-(\text{S})\text{-Pro}-(\text{R})\text{-Mpg-B(OH)(O}^{\ominus})_2\text{Ca}^+$ where the symbol -B(OH)(O⁻) refers to the corresponding tetrahedral boronyl groups as well as the trigonal boronyl group.

39. (Canceled)

40. (Previously Presented) The salt of claim 14 wherein aa¹ is of (R)-configuration, aa² is of (S)-configuration and the fragment -NH-CH(R¹)-B(OH)₂ is of (R)-configuration.

41. (Previously Presented) The salt of claim 40 wherein R¹ is methoxypropyl.

42. (Previously Presented) The salt of claim 41 which is an alkali or alkaline earth metal salt.

43. (Currently Amended) The salt of claim 14 ^{[[1]]} which is not an ammonium or choline salt.

44. (Currently Amended) The salt of claim 14 ^{[[1]]} which comprises anhydride species of the boronic acid.

45. (Currently Amended) The salt of claim 14 [[1]] which is an alkali metal salt of a boronic acid of the formula Cbz-(R)-Phe-(S)-Pro-(R)-Mpg-B(OH)₂.

46. (Previously Presented) The salt of claim 45 which comprises anhydride species of the boronic acid.

47. (Previously Presented) The salt of claim 40 wherein Z is -OMe or -OEt and which is not an ammonium or choline salt and which comprises anhydride species of the boronic acid.

48. (Previously Presented) The salt of claim 40 wherein aa¹ is (R)-Phe or (R)-Dpa, aa² is (S)-Pro or (S)-azetidine-2-carboxylic acid and R¹ is methoxypropyl.

49. (Previously Presented) The salt of claim 40 wherein Z is -OMe or -OEt and which is not an ammonium or choline salt and is in a pharmaceutically acceptable aqueous solution.

50. (Previously Presented) The salt of claim 49 which is a salt of an alkali metal, an alkaline earth metal or a strongly basic organic compound.

51. (Previously Presented) The salt of claim 49 wherein the organic compound is an aminosugar, lysine or arginine.

52. (Previously Presented) A sodium salt of a boronic acid of the formula Cbz-(R)-Phe-(S)-Pro-(R)-boroMpg-OH, wherein boroMpg is a residue of an aminoboronic acid of the formula $\text{H}_2\text{N}-\text{CH}((\text{CH}_2)_3\text{OMe})\text{B}(\text{OH})_2$, wherein said salt is in solid form.

53. (Previously Presented) A pharmaceutically acceptable aqueous solution comprising a sodium salt of a boronic acid of the formula Cbz-(R)-Phe-(S)-Pro-(R)-boroMpg-OH, wherein boroMpg is a residue of an aminoboronic acid of the formula $\text{H}_2\text{N}-\text{CH}((\text{CH}_2)_3\text{OMe})\text{B}(\text{OH})_2$.

54. (Previously Presented) The salt of claim 52 which comprises anhydride species of the boronic acid.

55. (Previously Presented) The salt of claim 52 which is the monosodium salt.

56. (Canceled)

57. (Previously Presented) A composition of matter which is pharmaceutically acceptable and has the characteristics of a product obtained by contacting a boronic acid of the formula Cbz-(R)-(Phe)-(S)-Pro-(R)-Mpg-B(OH)₂ and a pharmaceutically acceptable base selected from alkali metal bases, alkaline earth metal bases, aminosugars, lysine and arginine, wherein said salt is in solid form.

58. (Canceled)

59. (Previously Presented) The composition of matter of claim 57 when comprised in a pharmaceutical formulation.

60. (Previously Presented) The composition of matter of claim 57 wherein the base is a sodium base.

61. (Previously Presented) A pharmaceutically acceptable aqueous solution comprising the composition of matter of claim 57, wherein the base is a sodium base.

62. (Previously Presented) A pharmaceutical formulation comprising in the solid phase a compound which is a source of boronate species corresponding to the acid Cbz-(R)-Phe-(S)-Pro-(R)-Mpg-B(OH)₂ and a source of pharmaceutically acceptable cations other than choline and ammonium.

63. (Previously Presented) The formulation of claim 62 wherein the cations are alkali metal ions.

64. (Previously Presented) The formulation of claim 62 wherein the cations are sodium ions.

65. (Currently Amended) A water-miscible organic solvent comprising the salt of claim 14 ^{[[1]]}.

66. (Currently Amended) The salt of claim 14 ^{[[1]]}, wherein the salt exhibits improved stability, relative to the boronic acid, as measured according to the procedure of Example 28.

67. (Currently Amended) A solution consisting of water and the salt of claim 14 ^{[[1]]}.

68. (Currently Amended) A solution consisting of a solvent, the salt of claim 14 ^{[[1]]}, and one or more pharmaceutically acceptable diluents, carriers or excipients.

69. (Previously Presented) A solution consisting of water and the salt of claim 45.

70. (Previously Presented) A solution consisting of a solvent, the salt of claim 45, and one or more pharmaceutically acceptable diluents, carriers or excipients.

71. (Currently Amended) The salt of claim 14 ^{[[1]]}, wherein the salt has a solubility in water of about 10 mM or more at a dissolution of 25 mg/ml, as measured according to the procedure of Example 10.

72. (New) The salt of claim 14, wherein the boronic acid is of the formula Cbz-(R)-Phe-(S)-Pro-(R)-Mpg-B(OH)₂.